




FEM 1001

J1920.DC

GRUA DERRICK / DERRICK CRANE

UNE-EN-ISO 9001



200 km/h	15 m
175 km/h	17 m
155 km/h	19 m

CUSTOMIZE YOUR CRANE

OPTIMUS
line JASD



OPTI Cube



TC Diagnosis
SYSTEM



SAFETY
Pack



Customization




HIGH POWER
Motors



29/07/2026

Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability / L'entreprise se réserve le droit de procéder à des modifications sans préavis. Nous déclinons toute responsabilité quant aux informations fournies / Das Recht auf Änderungen ohne vorherige Ankündigung bleibt vorbehalten. Wir übernehmen keine Gewähr für die gemachten Angaben / Мы оставляем за собой право на внесение изменений без предварительного уведомления. Мы снимаем с себя любую ответственность в отношении предоставленной информации / حقوق التغيير محفوظة دون إشعار مسبق. دون أدنى مسؤولية عن المعلومات المقدمة



	2R	TD 2.000 kg ... (m)	15	17	19
19	4.000 kg ... (m)	19	2000	2000	2000
17		17	2000	2000	-
15	15	15	4000	-	-
	2R 3.000 kg ... (m)		15	17	19
17	17		3000	3000	-

Datos válidos para / Valid data for

Données valables pour / Gültige Daten für / Допустимые данные для / البيانات الصالحة لـ

2R
TD

H ≤ 200 m

H ≤ 400 m















CARACTERÍSTICAS DE MECANISMOS / MECHANISMS FEATURES

CARACTÉRISTIQUES DES MÉCANISMES / MERKMALE DER MECHANISMEN

خَرَائِصِي مَحَانِيزْمُ

J1920.DC

					
EC1040VF 7,5 kW				OG604VF 2 x 2,2 kW	EP1015VF 7,5 kW
 t m/min	1 0...40	2 0...20	0...0,4 r/min sl/min	1,5 min	
 t m/min	2 0...20	4 0...10			
 H	H ≤ TD 600 m 2R 300 m	 779 m			

		L (m)	A (m)	H (m)	P/W (kg)
Base punta de torre + Orientacion / Tower head base + Slewing Base du porte-flèche+ orientation / Turmbasis + Ausrichtung основание верхней секции башни + поворотный механизм البرج السفلي + قاعدة رأس البرج		0,755	1,000	0,810	511
Torre asiento pista / Slewing table Tour pivot / Turmsitz / Сиденье площадки / آلية الدوران		0,390	0,675	0,675	116
Tramo de pluma - Torre / Jib section - Tower Tronçon de flèche - Tour / Секция стрелы - Башня Bom bölümü - Kule / أجزاء الذراع - برج		2,126	0,676	0,780	132
Tramo de pluma I / Jib section I Tronçon de flèche I / Auslegerabschnitt I أجزاء الذراع I / Секция стрелы I		2,100	0,575	0,685	90
Punta de pluma / Jib end Pointe de flèche / Auslegerspitze / Конец стрелы مقدمة الذراع		1,174	0,575	1,380	133
Torre inferior / Lower tower Tour inférieure / Unterer Turm / Нижняя башня / البرج السفلي		2,100	0,575	0,685	104
Torre superior / Top tower Tour supérieure / Oberer Turm / верхняя башня / البرج العلوي		1,100	0,574	0,681	51
Punta de torre / Tower head Porte-flèche / Turmspitze / Верхняя секция башни قاعدة رأس البرج		1,100	0,635	0,630	177
Puntal / Pillar / Mât / Strebe / Стойка / دعمة		1,950	-	0,350	93
		1,785	-	0,350	96
Plumín / Auxiliary jib Fléchette / Ausleger / Дополнительная стрела / ريشة اضافية		3,340	-	0,478	58
Polipasto / Hook assembly Palan / Flaschenzug / Полиспаст / بكرة		0,360	0,402	0,886	191
Pasteca / Reeving Block Bloc de renvoi / Unterflasche / Канифас-лк		0,375	0,450	0,470	72
Larguero inferior / Lower crossbar Traverse inférieure Unterer Längsträger / Нижняя продольная балка عارضة سفلية		3,978	-	0,320	52
Elevación carga / Hoisting Levage de charge / Lasthub / Подъем груза / رافع الحمولة		1,282	1,250	0,548	427
Elevación pluma / Luffing Relevage de flèche / Auslegerhub / Подъем стрелы رافع الذراع		0,591	1,182	0,535	280
Limitador sobrecarga / Overload limiter Limiteur de surcharge Ограничитель перегрузки / Überlastsicherung / محدد الحمولة الزائدة		0,315	0,377	0,339	28
Armario electric / Electrical cupboard Armoire électrique Stromkasten / Электрический шкаф / خزانة كهربائية		0,360	0,636	0,983	90

	
200 km/h	15 m
175 km/h	17 m
155 km/h	19 m



Ctra./ Rd. Madrid – Irún - Km. 415 - 20213 IDIAZABAL (Gipuzkoa) - ESPAÑA / SPAIN

P.O. Box, 23 - 20.200 - BEASAIN - E-mail: jaso@jaso.com

Tel. +34 943 - 18 70 00 • Fax. +34 943 - 18 70 20

www.jaso.com

29/07/2026

DELEGACIÓN / DEALER

Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability / L'entreprise se réserve le droit de procéder à des modifications sans préavis. Nous déclinons toute responsabilité quant aux informations fournies / Das Recht auf Änderungen ohne vorherige Ankündigung bleibt vorbehalten. Wir übernehmen keine Gewähr für die gemachten Angaben / Мы оставляем за собой право на внесение изменений без предварительного уведомления. Мы снимаем с себя любую ответственность в отношении предоставленной информации / حقوق التغيير محفوظة / دون إشعار مسبق. دون أدنى مسؤولية عن المعلومات المقدمة