




***Opcional / Optional**


C18-1	170.50.100
C18-2	170.50.200
C18-3	170.50.300
C18-4	170.50.500
PC22-31	170.40.000

PC22-32	170.41.000
PC22-33	170.42.000
PC22-34	170.43.000
PC22-34b	170.43.300
PC22-35	170.44.000

PT22-36	170.45.000
PT22-37	170.46.000
PT22-38	170.47.000
PT22-39	170.48.000
PP22	170.48.300

*OPTIONAL EXTRA LIFT	
TSR20.....	206.31.200
TSR20-5,6.....	206.31.000
TSP20.....	214.31.300
TSP20-5,6.....	214.31.100
TSP20-5,6A.....	214.31.200


CUSTOMIZE YOUR CRANE




(H) ESTACIONARIA 1 / STATIONARY 1

SR

▽▽	H(ft)	□	⊠
262	186	10	-
244	186	10	-
225	181	9	1
215	168	9	-
207	168	9	-
195	168	9	-
187	168	9	-
177	162	8	1
169	162	8	1
159	162	8	1
151	150	8	-
139	150	8	-
131	150	8	-
121	162	8	1
113	162	8	1
102	186	10	-
94	186	10	-
84	205	11	-
75	205	11	-




▽▽	H(ft)	⊠	≡	□	⊠
262	291	8	1	6	1
244	291	8	1	6	1
225	291	8	1	6	1
215	279	8	1	6	-
207	279	8	1	6	-
195	279	8	1	6	-
187	279	8	1	6	-
177	279	8	1	6	-
169	279	8	1	6	-
159	279	8	1	6	-
151	279	8	1	6	-
139	279	8	1	6	-
131	279	8	1	6	-
121	297	8	1	7	-
113	297	8	1	7	-
102	315	8	1	8	-
94	315	8	1	8	-
84	315	8	1	8	-
75	315	8	1	8	-




ST-DR

▽▽	H(ft)	□	⊠
262	166	9	-
244	166	9	-
225	166	9	-
215	160	8	1
207	147	8	-
195	142	7	1
187	129	7	-
177	129	7	-
169	129	7	-
159	129	7	-
151	129	7	-
139	129	7	-
131	129	7	-
121	129	7	-
113	129	7	-
102	129	7	-
94	129	7	-
84	129	7	-
75	129	7	-



▽▽	H(ft)	⊠	≡	□	⊠
262	271	8	1	5	1
244	271	8	1	5	1
225	271	8	1	5	1
215	258	8	1	5	-
207	258	8	1	5	-
195	258	8	1	5	-
187	258	8	1	5	-
177	258	8	1	5	-
169	258	8	1	5	-
159	258	8	1	5	-
151	258	8	1	5	-
139	258	8	1	5	-
131	258	8	1	5	-
121	258	8	1	5	-
113	258	8	1	5	-
102	258	8	1	5	-
94	258	8	1	5	-
84	258	8	1	5	-
75	258	8	1	5	-



$$H_{ST-SR} = H_{ST-DR} - 0,3$$

H= Altura máxima bajo gancho sin arriostrar (ft) / Maximum height under hook without fastening (ft)

ASR20 160.21.200

ASP20 212.21.200



FEM 1005 – C25




Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability

18/11/2025

(H) ESTACIONARIA 3 / STATIONARY 3


SR

▽▽	H(ft)	□	⊠
262	203	9	1
244	203	9	1
225	190	9	-
215	185	8	1
207	185	8	1
195	185	8	1
187	185	8	1
177	172	8	-
169	172	8	-
159	172	8	-
151	166	7	1
139	166	7	1
131	166	7	1
121	172	8	-
113	172	8	-
102	203	9	1
94	203	9	1
84	221	10	1
75	221	10	1



ST-DR


▽▽	H(ft)	□	⊠
262	182	8	1
244	182	8	1
225	182	8	1
215	170	8	-
207	164	7	1
195	151	7	-
187	146	6	1
177	146	6	1
169	146	6	1
159	146	6	1
151	146	6	1
139	146	6	1
131	146	6	1
121	146	6	1
113	146	6	1
102	146	6	1
94	146	6	1
84	146	6	1
75	146	6	1



(H) TRASLACIÓN / TRAVELLING


SR

▽▽	H(ft)	□	⊠
262	205	9	1
244	205	9	1
225	193	9	-
215	174	8	-
207	174	8	-
195	174	8	-
187	174	8	-
177	174	8	-
169	174	8	-
159	174	8	-
151	156	7	-
139	156	7	-
131	156	7	-
121	169	7	1
113	169	7	1
102	205	9	1
94	205	9	1
84	224	10	1
75	224	10	1



ST-DR

▽▽	H(ft)	□	⊠
262	185	8	1
244	185	8	1
225	185	8	1
215	172	8	-
207	166	7	1
195	154	7	-
187	148	6	1
177	148	6	1
169	148	6	1
159	148	6	1
151	148	6	1
139	148	6	1
131	148	6	1
121	148	6	1
113	148	6	1
102	148	6	1
94	148	6	1
84	148	6	1
75	148	6	1



$$H_{ST-SR} = H_{ST-DR} - 0,3 \text{ ft}$$

H= Altura máxima bajo gancho sin arriostrar (ft) / Maximum height under hook without fastening (ft)

BSRI 8-20-5,6204.20.000


ABH 100C170.23.000



FEM 1005 - C25




Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability



	SR @...(ft)	75	84	94	102	113	121	131	139	151	159	169	177	187	195	207	215	225	244	262	+
262	74	52000	46500	41000	37300	33100	30400	27800	25800	23400	22000	20300	19200	17900	17000	15700	15000	14100	12600	11200	
	77	52900	48500	43000	39000	34600	32000	29300	27300	24900	23400	21800	20500	19200	18300	17000	16100	15200	13700	12300	+
244	78	52900	49400	43700	39700	35100	32400	29500	27600	24900	23400	21800	20500	19200	18100	16800	16100	15000	13400	—	
	81	52900	51400	45600	41400	36800	34200	31300	29100	26700	25100	23400	22000	20700	19600	18300	17400	16500	14800	—	+
225	93	52900	52900	52500	47600	42300	39200	35700	33500	30400	28700	26700	25100	23600	22300	20700	19800	18700	—	—	
	96	52900	52900	52900	49800	44300	41200	37700	35300	32400	30600	28700	27100	25400	24300	22700	21600	20500	—	—	+
215	101	52900	52900	52900	52500	46500	43000	39500	36800	33500	31500	29500	27800	26000	24700	23100	22000	—	—	—	
	105	52900	52900	52900	52900	48300	44800	41000	38600	35500	33500	31500	30000	28200	27100	25400	24300	—	—	—	+
207	105	52900	52900	52900	52900	48500	45000	41200	38600	35100	33100	30900	29100	27300	26000	24300	—	—	—	—	
	109	52900	52900	52900	52900	50500	46500	42800	40100	36800	34800	32800	31300	29500	28200	26500	—	—	—	—	+
195	107	52900	52900	52900	52900	49800	46100	42300	39500	35900	34000	31500	30000	28000	26700	—	—	—	—	—	
	111	52900	52900	52900	52900	51800	47800	43900	41000	37700	35700	33500	32000	30200	28900	—	—	—	—	—	+
187	113	52900	52900	52900	52900	52700	48700	44500	41700	38100	35900	33500	31700	29800	—	—	—	—	—	—	
	117	52900	52900	52900	52900	52900	50500	46300	43200	39900	37700	35300	33700	31700	—	—	—	—	—	—	+
177	115	52900	52900	52900	52900	52900	50000	45900	43000	39200	36800	34400	32600	—	—	—	—	—	—	—	
	120	52900	52900	52900	52900	52900	52000	47600	44500	40800	38600	36400	34600	—	—	—	—	—	—	—	+
169	120	52900	52900	52900	52900	52900	52000	47800	44800	40800	38600	35900	—	—	—	—	—	—	—	—	
	124	52900	52900	52900	52900	52900	52900	49600	46300	42500	40100	37700	—	—	—	—	—	—	—	—	+
159	122	52900	52900	52900	52900	52900	52900	48700	45400	41700	39200	—	—	—	—	—	—	—	—	—	
	126	52900	52900	52900	52900	52900	52900	50500	47200	43200	40800	—	—	—	—	—	—	—	—	—	+
151	124	52900	52900	52900	52900	52900	52900	49800	46500	42500	—	—	—	—	—	—	—	—	—	—	
	129	52900	52900	52900	52900	52900	52900	51600	48300	44100	—	—	—	—	—	—	—	—	—	—	+
139	125	52900	52900	52900	52900	52900	52900	50000	46700	—	—	—	—	—	—	—	—	—	—	—	
	129	52900	52900	52900	52900	52900	52900	52000	48500	—	—	—	—	—	—	—	—	—	—	—	+
131	125	52900	52900	52900	52900	52900	52900	50300	—	—	—	—	—	—	—	—	—	—	—	—	
	130	52900	52900	52900	52900	52900	52900	52200	—	—	—	—	—	—	—	—	—	—	—	—	+
121	121	52900	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	
	121	52900	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	+
113	113	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	113	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
102	102	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	102	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
94	94	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	94	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
84	84	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	84	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
75	75	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	75	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+

Datos válidos para / Valid data for




H ≤ 131 ft



FEM 1005 – C25




Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability



	@ ... (ft)	75	84	94	102	113	121	131	139	151	159	169	177	187	195	207	215	225	244	262	+
262	73	51100	45400	39900	35900	31500	28900	26000	24000	21600	20100	18500	17200	15900	15000	13700	12800	11900	10400	9000	
	76	52900	47400	41700	37700	33100	30400	27600	25400	22900	21400	19600	18300	17000	15900	14600	13700	12800	11200	9900	+
244	77	52900	48300	42300	38100	33500	30600	27800	25800	23100	21600	19800	18500	17200	16100	14800	13900	13000	11200	—	
	80	52900	50300	44300	40100	35300	32400	29300	27100	24500	22900	21200	19800	18300	17200	15900	15000	13900	12100	—	+
225	91	52900	52900	50900	46300	40800	37500	34000	31500	28400	26700	24700	23100	21400	20300	18700	17600	16500	—	—	
	94	52900	52900	52900	48300	42800	39200	35700	33300	30200	28200	26200	24700	22900	21600	20100	19000	17900	—	—	+
215	98	52900	52900	52900	50900	44800	41200	37500	34800	31700	29500	27300	25800	24000	22700	20900	19800	—	—	—	
	102	52900	52900	52900	52900	47000	43200	39500	36800	33500	31300	29100	27600	25600	24300	22500	21400	—	—	—	+
207	102	52900	52900	52900	52900	47000	43200	39200	36600	33100	31100	28700	27100	25100	23800	22000	—	—	—	—	
	106	52900	52900	52900	52900	48900	45200	41200	38600	35100	32800	30600	28900	26900	25600	23800	—	—	—	—	+
195	104	52900	52900	52900	52900	48100	44300	40300	37500	34000	31700	29500	27800	25800	24500	—	—	—	—	—	
	108	52900	52900	52900	52900	49800	45900	41900	39200	35900	33700	31500	30000	27800	26500	—	—	—	—	—	+
187	109	52900	52900	52900	52900	50700	46700	42800	39700	36200	33700	31300	29500	27600	—	—	—	—	—	—	
	113	52900	52900	52900	52900	52700	48500	44300	41400	37900	35700	33300	31700	29500	—	—	—	—	—	—	+
177	112	52900	52900	52900	52900	52000	48100	43900	40800	37000	34800	32200	30400	—	—	—	—	—	—	—	
	116	52900	52900	52900	52900	52900	49800	45600	42500	38800	36600	34200	32400	—	—	—	—	—	—	—	+
169	116	52900	52900	52900	52900	52900	50000	45600	42500	38800	36400	33700	—	—	—	—	—	—	—	—	
	120	52900	52900	52900	52900	52900	52000	47400	44300	40300	38100	35700	—	—	—	—	—	—	—	—	+
159	118	52900	52900	52900	52900	52900	50900	46500	43400	39500	37000	—	—	—	—	—	—	—	—	—	
	122	52900	52900	52900	52900	52900	52900	48300	45000	41200	38800	—	—	—	—	—	—	—	—	—	+
151	120	52900	52900	52900	52900	52900	52000	47600	44300	40300	—	—	—	—	—	—	—	—	—	—	
	124	52900	52900	52900	52900	52900	52900	49400	46100	42100	—	—	—	—	—	—	—	—	—	—	+
139	120	52900	52900	52900	52900	52900	52200	47800	44500	—	—	—	—	—	—	—	—	—	—	—	
	125	52900	52900	52900	52900	52900	52900	49600	46300	—	—	—	—	—	—	—	—	—	—	—	+
131	121	52900	52900	52900	52900	52900	52700	48100	—	—	—	—	—	—	—	—	—	—	—	—	
	125	52900	52900	52900	52900	52900	52900	49800	—	—	—	—	—	—	—	—	—	—	—	—	+
121	121	52900	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	
	121	52900	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	+
113	113	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	113	52900	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
102	102	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	102	52900	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
94	94	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	94	52900	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
84	84	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	94	52900	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
75	75	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	75	52900	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+

Datos válidos para / Valid data for


 $H \leq 131 \text{ ft}$



EXTRA Lift

	@... (ft)	49	66	75	84	94	102	113	121	131	139	151	159	169	177	187	195	207	215	225	244	262	+
262	38	79600	57300	48500	43000	37500	33700	29300	26700	24000	22000	19600	18100	16500	15200	14100	13000	11700	11000	10100	8600	7300	
	39	81100	58600	49800	44100	38600	34600	30200	27600	24900	22900	20500	19000	17400	16100	14800	13900	12600	11900	10800	9300	8200	+
244	40	84400	60800	51800	45600	39900	35900	31300	28700	25800	23600	21200	19600	17900	16800	15200	14300	13000	12100	11200	9500	—	
	41	86000	62400	53100	47000	41200	37300	32400	29800	26900	24700	22300	20700	19000	17600	16300	15200	13900	13000	12100	10400	—	+
225	47	101000	73400	62600	55600	48700	44100	38600	35300	32000	29500	26700	24700	22700	21200	19600	18500	17000	15900	14800	—	—	
	48	102700	75000	64200	57100	50300	45400	40100	36800	33300	30900	28000	26000	24000	22500	20900	19800	18300	17200	16100	—	—	+
215	51	105800	80500	68800	61300	53800	48700	42800	39200	35500	32800	29800	27800	25600	24000	22300	20900	19200	18100	—	—	—	
	52	105800	82500	70500	62800	55300	50300	44300	40800	37300	34600	31300	29300	27100	25600	23800	22500	20700	19600	—	—	—	+
207	53	105800	84000	71900	63900	56200	50900	44800	41200	37300	34600	31300	29100	26900	25100	23400	22000	20300	—	—	—	—	
	54	105800	86000	73600	65700	58000	52700	46500	42800	39000	36400	32800	30900	28700	26900	25100	23600	22000	—	—	—	—	+
195	54	105800	86200	73600	65500	57500	52200	46100	42300	38400	35500	32200	30000	27800	26000	24000	22700	—	—	—	—	—	
	55	105800	88000	75400	67500	59500	54000	47800	44100	40100	37500	34000	31700	29500	27800	26000	24500	—	—	—	—	—	+
187	57	105800	90800	77800	69200	61100	55300	48700	44800	40800	37700	34200	32000	29500	27800	25800	—	—	—	—	—	—	
	58	105800	92800	79800	71200	63100	57300	50700	46700	42800	39900	36200	34000	31500	29800	27800	—	—	—	—	—	—	+
177	58	105800	93300	80000	71200	62600	56900	50300	46100	41900	39000	35300	33100	30400	28700	—	—	—	—	—	—	—	
	59	105800	94800	81400	72800	64600	58900	52200	48500	44300	41200	37700	35300	32800	30900	—	—	—	—	—	—	—	+
169	61	105800	97000	83100	74100	65300	59300	52200	48300	43900	40800	36800	34600	32000	—	—	—	—	—	—	—	—	
	62	105800	98500	84700	75600	67000	61300	54500	50500	46100	43000	39200	36800	34400	—	—	—	—	—	—	—	—	+
159	62	105800	99000	84900	75600	66600	60400	53400	49200	44800	41700	37700	35300	—	—	—	—	—	—	—	—	—	
	63	105800	100500	86200	77200	68300	62400	55600	51400	47000	43900	40100	37700	—	—	—	—	—	—	—	—	—	+
151	63	105800	101000	86600	77200	68100	61700	54700	50300	45900	42500	38600	—	—	—	—	—	—	—	—	—	—	
	64	105800	102500	88000	78700	69700	63700	56700	52500	48100	44800	41000	—	—	—	—	—	—	—	—	—	—	+
139	63	105800	101400	87100	77600	68300	62200	54900	50500	46100	42800	—	—	—	—	—	—	—	—	—	—	—	
	64	105800	103200	88400	78900	70100	63900	56900	52700	48300	45200	—	—	—	—	—	—	—	—	—	—	—	+
131	63	105800	102100	87500	78000	68800	62400	55100	50900	46300	—	—	—	—	—	—	—	—	—	—	—	—	
	65	105800	103600	88800	79400	70300	64400	57300	52900	48500	—	—	—	—	—	—	—	—	—	—	—	—	+
121	64	105800	102500	88000	78500	69200	62800	55600	51100	—	—	—	—	—	—	—	—	—	—	—	—	—	
	65	105800	104300	89300	79800	70800	64600	57500	53400	—	—	—	—	—	—	—	—	—	—	—	—	—	+
113	64	105800	103800	89100	79400	70100	63700	56200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	66	105800	105600	90400	80900	71700	65500	58200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
102	65	105800	103800	89100	79600	70300	63700	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	66	105800	105600	90600	80900	71700	65500	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
94	65	105800	104500	89700	80000	70500	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	66	105800	105800	91100	81400	72100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
84	65	105800	104700	89700	80000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	66	105800	105800	91100	81400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+
75	65	105800	105400	90400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	66	105800	105800	91700	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	+





Datos válidos para / Valid data for

 $H \leq 131 \text{ ft}$


EC150115VF
110 kW



* EC180150VF
132 kW



$H \leq$ SR 1493 ft
DR 745 ft



OG4006VF
4 x 7,5 kW



TC2560VF
18,4 kW

0...0,7
r/min
sl/min

52900 lb 0...197 ft/min
105800 lb 0...98 ft/min











⚡ 3~ 400V 50Hz
480V 60Hz

KVA			
EC150115VF	108	135	161
EC180150VF	119	151	183



FEM 1005 – C25






			L (ft)	A (ft)	H (ft)	P/W (lb)
Torre / Tower	TSR20		14.0	7.4	7.4	6860
	TSR20-5,6		19.7	7.4	7.4	9280
	TSRI20-5,6		19.7	7.4	7.4	15100
	TSP20		14.4	7.8	7.9	12380
	TSP20-5,6		20.2	7.8	7.9	16900
	TSP20-5,6A		19.9	7.5	7.8	15710
Torre asiento pista + Base punta de torre + Orientación Slewing table + Tower head base + Slewing mechanism			15.0	7.7	8.5	28150
Punta de torre / Tower head			14.3	7.3	7.7	8620
Punta de torre + Base punta de torre + Torre asiento pista + Orientación / Tower head + Tower head base + Slewing table + Slewing mechanism			26.6	10.8	9.5	36770
Tramo de pluma Jib section	PC22-31		38.5	7.6	8.2	14630
	PC22-32 + Tr		38.6	6.8	8.2	18300
	PC22-33		38.7	6.8	8.1	13870
	PC22-34b		10.5	6.8	8.1	3890
	PC22-34		19.9	6.8	8.1	6500
	PC22-35		19.8	6.8	8.1	5950
	PT22-36		38.5	6.8	8.1	6670
	PT22-37		38.5	6.8	8.1	4960
	PT22-38		19.4	6.8	8.0	2650
	PT22-39		19.2	6.8	8.0	1700
	PP22		4.1	7.6	2.1	1260
Contrapluma Counterjib	C18-1		20.3	6.8	2.5	6180
	C18-2		21.8	6.6	2.9	6660
	C18-3		10.8	6.6	2.9	3980
	C18-4		37.9	6.9	3.3	12810
Contrapluma + Mec. Elevación + Armario eléctrico Counterjib + Hoisting Mech.+ Electrical cabinet			37.9	7.5	7.6	33390
Polipasto / Hook assembly	SR		5.7	5.3	1.2	2310
	ST/DR		7.0	2.9	10.3	4740
Carro / Trolley	SR		9.3	7.6	9.0	3010
	ST/DR		11.0	7.8	9.5	4660




LISTA DE EMBARQUE / PACKING LIST


J800.48

		L (ft)	A (ft)	H (ft)	P/W (lb)
Soporte + Elevación (sin cable) Support + Hoisting (without rope)		8.3	7.3	5.5	12790
Armario eléctrico + Plataforma Electrical cabinet + Platform		9.0	5.3	8.1	1810
Plataforma + Cabina Platform + Cabin		12.7	7.3	8.2	2470

TREPADO / CLIMBING

J800.48



h _{max} : TSR20-5,6T1 + 5 x TSR20-5,6 + TSR20-5,6T2		
		
h (ft)	128	
D (ft)	49 – 59	
P (lbf)	491210	383300
R _{max} (lbf)	94420	159610
TSR20-5,6T1: 206.31.400		
TSR20-5,6T2: 206.31.500		



Trepado interno / Internal climbing



Viento fuera de servicio / Out of service wind



Consultar / Consult



En servicio / In service



Fuera de servicio / Out of service



Opcional / Optional



Ctra./ Rd. Madrid – Irún - Km. 415 - 20213 IDIAZABAL (Gipuzkoa) - ESPAÑA / SPAIN
P.O. Box, 23 - 20.200 - BEASAIN - E-mail: jaso@jaso.com
Tel. +34 943 - 18 70 00 • Fax. +34 943 - 18 70 20
www.jaso.com

18/11/2025

Reservado el derecho a modificaciones sin previo aviso. Declinamos toda responsabilidad derivada de la información proporcionada / Subject to modification, without prior notice. This information is supplied without liability



FEM 1005-C25

DELEGACIÓN / DEALER